Manhole Inspection Summary Manhole # S27AA 003MH Printed On: 3/26/2009 Page 1 of 4 Inspection ☐ Is Incomplete Rating: 2) Good Record Plat: 27AA Node: 003 Status: Found Insp Date: 11/28/07 1:48 PM **Incomplete Comments** Crew: ADS1 Inspector: ADS1 Firm: ADS Location Address: DOLPHIN ST Cross Street: SHIELDS PL Manhole Ground Conditions: Dry Type: Junction Location: Roadway Prev. Rehab Weather: **Dry** Subject To Ponding: None Comments Cover Shape: Circular Diameter: 25. (in.) Length: (in.) Dist A/B Grade: 0 (in.) Condition: Sound Type: Sanitary Cover Material: Cast Iron ☐ Water Tight ☐ Water Tight Insert Properties: ☐ Bolted ✓ Vented Frame Offset: 0 Condition: ✓ Sound ☐ Cracked (in.) Leaks **Chimney / Frame Adjustment** Exists Material: Height: Parged (in.) Condition: Sound Cracked Root Intrusion Loose Brick Deteriorated Infiltration: None Joint Cracks Mortar Roots Wall Corbel Material: Brick Type: Concentric/Eccentric Parged Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Loose Brick ☐ Deteriorated Infiltration: None Joint Cracks Mortar Roots Wall Barrel Material: Brick Parged Shape: Circular Diameter: 38 (in.) Length: (in.) Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion Loose Brick Deteriorated Infiltration: None ☐ Joint ☐ Cracks ☐ Roots ☐ Wall **Bench** ✓ Exists Material: Brick Parged Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Deteriorated ☐ Leaks Debris Channel Material: Brick Parged Channel Exposure: Fully Open Junc Dist: 0 nearest .5 ft. Azimuth: Condition: ✓ Sound ☐ Cracked ☐ Root Intrusion ☐ Deteriorated ☐ Leaks Debris Count: 5 Missing: 0 Steps Corroded ☐ Evidence Of Surcharge Depth: (ft.) Active Surcharge Present Surcharge

Manhole Inspection Summary

Manhole # S27AA_003MH

Printed On: 3/26/2009 Page 2 of 4

Location View



Top View




Manhole Inspection Summary

Manhole # S27AA_003MH

Printed On: 3/26/2009 Page 3 of 4

8 in. Circular Gravity Sewer Pipe Out @ 12 O'Clock





Pipe Height:

(in.) Direct

Pipe Material: Clay

☐ Pipe Lined

Invert Depth: 10.30 (ft.) Flow Characteristics: Slow

Deposits: ✓ None ☐ Mud ☐ Sludge ☐ Debris ☐ Grease Silt Depth:

(in.) Deposits Extent:

Infiltration: None

Pipe Seal Cond: Sound

Drop: None

Connects To: Manhole

Possible Illicit Connection

8 in. Circular Gravity Sewer Pipe In @ 5 O'Clock



SERVICE LINE, POSSIBLY INACTIVE

Pipe Height:

(in.) Direct

Pipe Material: Clay

☐ Pipe Lined

Invert Depth: 10.18 (ft.) Flow Characteristics: None

(in.)

Deposits: ☐ None ☐ Mud ☐ Sludge ✓ Debris ☐ Grease

Connects To: House connection / Service

Drop: None

line

Infiltration: None

Silt Depth: 2.5

Pipe Seal Cond: Sound

Deposits Extent: Medium

Possible Illicit Connection

5 O'Clock Inflow


Manhole Inspection Summary

Manhole # S27AA_003MH

9 O'Clock Inflow

Printed On: 3/26/2009 Page 4 of 4

8 in. Circular Gravity Sewer Pipe In @ 9 O'Clock



Pipe Height: (in.) Di	rect	Drop: None
Pipe Material: Clay	Pipe Lined	·
Invert Depth: 10.20 (ft.) Flow Characteristics: Slow		
Deposits: ☑ None ☐ Mud ☐ Sludge ☐ Debris ☐ Grease		
Silt Depth: (in.)	Deposits Extent:	Connects To: Manhole
Infiltration: None	Pipe Seal Cond: Sound	Possible Illicit Connection